


E-mail: distributor@hyggeraquarium.com

Website: www.hyggeraquarium.com



HG157 USER MANUAL hygger Misty Air Bubbler Kit



hygger Misty Air Bubbler Kit is the perfect choice for supplying oxygen to freshwater and seawater aquariums and ponds.



Precautions:

- 1. Before use, please soak the air stone for more than 30 minutes for more uniform and finer bubbles.
- 2. Please select an air pump with suitable air volume and output for use with the air stone. (The air pump is not included in the scope of delivery)
- 3. Place the air stone in the water after connecting it and repeatedly disconnect and reconnect the air tube to quickly achieve a fogging effect due to the backflow in the air tube.
- 4. It is recommended to clean the air stone every two months to prevent clogging and maintain good dissolved oxygen performance.
- 5. This air stone is suitable for both freshwater and saltwater aquariums.

1. PRODUCT FEATURES


- 1. High-density pores, fine bubbles, quiet operation, no sleep disturbance.
- 2. The air stone contains iron and epoxy for added weight, designed for stable and secure placement.
- 3. The air stone features a hidden air inlet for aesthetic sleekness.
- 4. Aesthetically enhanced: Air enters the air stone, and the top and bottom covers compress the sponge to produce fine bubbles that are expelled through the gap between the top cover and the opening.
- 5. Easy to clean.

2. PRODUCT SPECIFICATIONS

Model	Size (diameter)	Applicable aquarium size (length)	The required air pump output	Air tube caliber
HG157-6CM	6cm/2.4inches	≤23inches (≤60cm)	≥2W	4mm
HG157-9CM	9cm/3.5inches	20-40inches (50-100cm)	≥4W	4mm
HG157-12CM	12cm/4.7inches	≥32inches (≥80cm)	≥5W	4mm

3. PRODUCT DIAGRAM

Installation Diagram



4. TROUBLESHOOTING

- 1. No air output: Check whether the check valve is installed backward or the air pump power is too low.
- 2. Uneven air output: Set the air pump to the maximum air volume and connect the air tube repeatedly to improve the refinement of the bubbles through backflow.

5. PACKING LIST

- 1x Air stone
- 1x 2m Air tube
- 1x Transparent suction cup
- 1x Airflow control valve
- 1x T-shaped diverter
- 1x User manual

6. HYGGER LIMITED MANUFACTURER'S WARRANTY

We offer the end user of this product a manufacturer warranty of 3 (2) years from the date of sale if this product was purchased from a hygger[®]-authorised specialist dealer.

Retain receipt for any future warranty claim. Conditions apply. Products are guaranteed by hygger[®] Aquatic Supplies to the original purchaser against defective material and workmanship under normal use for a period up to 3 (2) years from the date of the original purchase through an Authorized Dealer. Refer to the User Manual included with your product for specific warranty details.

Products have no warranty if:

- 1.) The product has been serviced, modified or tampered with by anyone other than hygger[®] Aquatic Supplies.
- 2.) The product has been abused or damaged (including broken or cracked bulbs), and/ or.
- 3.) The product has been transported without proper packaging.
- 4.) The product was purchased from an Unauthorized Reseller.

WARRANTY LIABILITY DISCLAIMER

In no event will hygger[®] be liable for any consequential or incidental damages, including but not limited to, lost aquatic life, personal injury, property damage, equipment damage, lost profits, lost wages, lost savings, lost income, etc., arising out of the use of any hygger[®] products.

- 1.0. Terms and Conditions of Warranty.
- 1.1. hygger[®] warrants to the purchaser, for 3 (2) years from date of original purchase through an Authorized hygger[®] Reseller, free to repair or replace parts where fault is found due to defective materials or faulty workmanship and where goods do not operate in accordance with the instructions.
- 1.2. All claims for repair or replacement must be made at place of purchase.
- 1.3. Only the direct purchaser is entitled to warranty claims against us and these are not transferable without our consent.
- 1.4. The original and dated Proof of Purchase (receipt) must be supplied with all goods claims. Please also provide this Guarantee where possible.
- 1.5. Wear parts (e.g.: seals, suction devices, axes, pump wheels, light sources, pH electrodes, filter media, such as filter cartridges, as well as UVC burners), glass damage and the opening of the product, as well as structural changes or the use of non-hygger[®] original parts are excluded from the guarantee.

- 1.6. All goods subject to claim under Guarantee should be prepared for transportation in the original packaging or other comparable packaging which offers the same degree of protection and hygger[®] must incur no costs from the shipment.
- 1.7. Where claims on inspection reveal goods are in normal working order, hygger[®] will request reimbursement of all reasonable costs incurred.
- 1.8. Warranty claims do not exist in the case of only insignificant deviations from the agreed or customary condition or usability, e.g. insignificant deviations in colour, dimensions and/or quality or performance characteristics of the products.
- 1.9. Our warranty obligation extends only to the delivery of newly manufactured products. Unless otherwise agreed, used products are sold as seen, excluding any warranty.

For more warranty information, please see the hygger website.

7. CONTACT INFORMATION

Distributed by: Hygger Aquarium, Inc. 13941 Magnolia Ave, Chino, CA 91710

E-mail: distributor@hyggeraquarium.com

Website: www.hyggeraquarium.com

Trademarks of Shenzhen Mago Trading Co., Ltd Bantian Group Business Center, Longgang, Shenzhen City, China All Rights Reserved

Made in China