

E-mail: distributor@hyggeraquarium.com

Website: www.hyggeraquarium.com



HC009 Spiral Bubble Counter


Support

E-mail: service@hygger-online.com



The CO2 spiral bubble counter is essential for accurately measuring and regulating CO2 levels, particularly in large aquariums and planted tanks where precise CO2 concentration control is crucial. This bubble counter not only aids in optimizing water CO2 content to foster aquatic plant growth and preserve water quality and simplifies calculating CO2 bubble counts.

1. PRODUCT DIAGRAM



2. INSTRUCTIONS FOR USE

- 1. Before use, carefully examine the product to confirm it is defect-free. If you find any damage, please get in touch with us for a replacement or repair.
- 2. Fill the bubble counter to 80% capacity with water. **Tip:** When filling, ensure the air inlet faces upwards and submerge the counter completely in water.
- 3. Secure two air tubes to the bubble counter's air inlet and outlet.

 Important: To facilitate installation and prevent damage to the bubble counter, please soak the connecting ends of both air tubes in hot water for 1-2 minutes before proceeding with the installation.
- 4. Connect one end of an air tube to the bubble counter's air inlet and the opposite end to the CO2 cylinder. Then, connect one end of the second air tube to the bubble counter's air outlet and the other to the diffuser.
- 5. Mount the bubble counter vertically on the aquarium's outer glass wall using the provided suction cups.
- 6. Monitor the bubbles to ensure they are spiraling normally within the tube.

3. ATTENTIONS

- 1. Before attaching the air tube to the bubble counter's inlet, immerse the tube in hot water for 1-2 minutes to facilitate easier installation and prevent damage due to excessive tightness.
- 2. Ensure the CO2 cylinder's valve is closed when connecting to its outlet.
- 3. Given the pressurized nature of CO2 gas, it is crucial to secure all air tube connections tightly to avoid leaks and potential safety risks.
- 4. Always position the CO2 cylinder and bubble counter in well-ventilated areas, clear of heat sources and flames, to minimize the risk of incidents.

5. HYGGER LIMITED MANUFACTURER'S WARRANTY

We offer the end user of this product a manufacturer warranty of 3 (2) years from the date of sale if this product was purchased from a hygger®-authorised specialist dealer.

Retain receipt for any future warranty claim. Conditions apply. Products are guaranteed by hygger® Aquatic Supplies to the original purchaser against defective material and workmanship under normal use for a period up to 3 (2) years from the date of the original purchase through an Authorized Dealer. Refer to the User Manual included with your product for specific warranty details.

Products have no warranty if:

- (1.) The product has been serviced, modified or tampered with by anyone other than hygger[®] Aquatic Supplies.
- (2.) The product has been abused or damaged (including broken or cracked bulbs), and/or.
- (3.) The product has been transported without proper packaging.
- (4.) The product was purchased from an Unauthorized Reseller.

Products have no warranty if:

In no event will hygger[®] be liable for any consequential or incidental damages, including but not limited to, lost aquatic life, personal injury, property damage, equipment damage, lost profits, lost wages, lost savings, lost income, etc., arising out of the use of any hygger[®] products.

- 1.0. Terms and Conditions of Warranty.
- 1.1. hygger[®] warrants to the purchaser, for 3 (2) years from date of original purchase through an Authorized hygger[®] Reseller, free to repair or replace parts where fault is found due to defective materials or faulty workmanship and where goods do not operate in accordance with the instructions.
- 1.2. All claims for repair or replacement must be made at place of purchase.
- 1.3. Only the direct purchaser is entitled to warranty claims against us and these are not transferable without our consent.
- 1.4. The original and dated Proof of Purchase (receipt) must be supplied with all goods claims. Please also provide this Guarantee where possible.
- 1.5. Wear parts (e.g.: seals, suction devices, axes, pump wheels, light sources, pH electrodes, filter media, such as filter cartridges, as well as UVC burners), glass damage and the opening of the product, as well as structural changes or the use of non-hygger® original parts are excluded from the guarantee.
- 1.6. All goods subject to claim under Guarantee should be prepared for transportation in the original packaging or other comparable packaging which offers the same degree of protection and hygger[®] must incur no costs from the shipment.
- 1.7. Where claims on inspection reveal goods are in normal working order, hygger® will request reimbursement of all reasonable costs incurred.
- 1.8. Warranty claims do not exist in the case of only insignificant deviations from the agreed or customary condition or usability, e.g. insignificant deviations in colour, dimensions and/or quality or performance characteristics of the products.
- 1.9. Our warranty obligation extends only to the delivery of newly manufactured products. Unless otherwise agreed, used products are sold as seen, excluding any warranty. For more warranty information, please see the hygger website.

6. CONTACT INFORMATION

Distributed by: Hygger Aquarium, Inc. 13941 Magnolia Ave, Chino, CA 91710

E-mail: distributor@hyggeraquarium.com Website: www.hyggeraquarium.com

Trademarks of Shenzhen Mago Trading Co., Ltd Bantian Group Business Center, Longgang, Shenzhen City, China All Rights Reserved

Made in China



Have a question? We're here to help: USA Call: +1 (909) 590-2880 Mon-Fri: 9:00 am - 5:30 pm PST Sat-Sun: Closed

